

Student Name:

Current Date

Pt. Name:

Pt. ID#:

Bed:

Med Rec #:

Admitting Diagnosis

Admitting Physician:

Allergies:

Mental Status

- alert & oriented to person, place, time
- disoriented: person place time

Mood & affect: pleasant tearful depressed anxious hostile withdrawn combative

Behavior: cooperative uncooperative

Comments:

Pain/Comfort

pain free

Verbalizes pain level on 0-10 scale:

Location:

Quality: sharp dull aching cramping burning other - describe:

PCA #: PCEA #: intrathecal

medication & settings:

Comments:

Head & Neck

Oral cavity: moist dry lesions other- describe:

Sclera/conjunctiva: clear reddened jaundiced drainage- describe:

Pupils: equal unequal: describe:

Pupil reaction: R: brisk sluggish none pupil size:

L: brisk sluggish none pupil size:

Comments:

Chest:

O2Sat: Respiratory rate: Effort: easy, no difficulty abnormal describe:

Breathe sounds:

clear Bilateral

Abnormal: Right anterior posterior upper lower
 Left anterior posterior upper lower

Describe:

Cough: n/a nonproductive productive - describe sputum:

Oxygen: n/a N/C: flow rate: mask: percent: NRB face tent

Chest tube: n/a pleural mediastinal water seal suction-

Comments:

Heart sounds:

Apical pulse rate: regular irregular pacemaker ICD telemetry: #

Comments:

Gastrointestinal

Abdomen: soft non-distended non-tender distended tender firm

nausea emesis - describe:

Bowels sounds: active x 4 quadrants hypoactive hyperactive absent

Comments:

Last BM:

Ostomy: n/a gastrostomy jejunostomy ileostomy colostomy

Tubes: n/a NG dohoff PEG: clamped gravity

suction: low medium high continuous intermittent

feeding: n/a Solution: intermittent continuous Pump#-

Comments:

Genitourinary

Urine: voids: no difficulty pain burning hesitancy 3 bottle routine

foley: Date inserted: straight cath; time:

Urine color:

coude 3-way Murphy drip stent tether

urostomy nephrostomy dialysis other

Comments:

Peripheral

Radial pulses: equal/bilateral Unequal - Right: present by dopler
Left: present by dopler

Dorsalis pedis: equal/bilateral Unequal - Right: present by dopler
Left: present by dopler

Posterior tibial: equal/bilateral Unequal - Right: present by dopler
Left: present by dopler

Capillary refill:

Comments:

Handgrips: equal/bilateral Unequal - Right: Left:

Movement upper extremities: equal/bilateral Unequal - Right: Left:

Movement lower extremities: equal/bilateral Unequal - Right: Left:

Comments:

Sensation: present/appropriate decreased paresthesia absent

Comments:

Integument

Skin: dry moist warm hot cool cold **Turgor:** elastic nonelastic

Color: WNL pale flushed jaundiced cyanotic **Nailbeds:** pink cyanotic other:

Edema: absent generalized sacral pedal Edema grade:

other- Describe:

rash - type: describe:

Comments:

IV Sites:

n/a peripheral - cath gauge: PICC CL - # of lumens:

IV start date: Location: occlusive dressing intact

saline lock heparin lock IV infusing - fluids & rate:

no redness, edema redness edema warm hot cool cold

Comments:

Additional IV Sites: n/a

peripheral - cath gauge: PICC CL - # of lumens:

IV start date: Location: occlusive dressing intact

saline lock heparin lock IV infusing - fluids & rate:

no redness, edema redness edema warm hot cool cold

Comments:

Wounds/incisions n/a

Location/description:

Dressing: n/a(OTA) intact clean dry soiled - describe:

No drainage Drainage - describe:

Additional wounds/incisions n/a

Location/description:

Dressing: n/a(OTA) intact clean dry soiled - describe:

No drainage Drainage - describe:

Drains/Tubes:

n/a JP hemovac J-Vac penrose t-tube CAT drain other -

location: describe drainage:

Additional Drains/Tubes: n/a

JP hemovac J-Vac penrose t-tube CAT drain other -

location: describe drainage:

Additional Drains/Tubes: n/a

JP hemovac J-Vac penrose t-tube CAT drain other -

location: describe drainage:

Equipment:

TED SCD: # - Plexy-pulse: # - Traction CPM: # -

Isolation:

n/a contact airborne neutropenic

Comments:

Precautions:

fall aspiration seizure decubitous - Specialty bed #: